

AMS-1000 C

COAL STOCKPILE SEALING APPLICATION

The **AMS 1000 C** Stockpile Sealing Dust Suppression formula for coal is suitable for stockpile, barge, ship and rail use:

- The polymer emulsion provides long lasting binding dust control for material storage applications
- The solution is applied directly to the material via water cannon
- AMS-1000 lasts for 45 days – 1 year

FEATURES:

- Direct application to stockpile, stockpile, barge, ship, rail, and trucking applications
- Provides a semi-permanent shell over material with 45 days to 1 Year duration
- Impervious to rain and wind erosion
- Sustains delivered material quality control from supply point to customer site
- Prevents air and water from entering, minimizing oxidation from "heat of wetting", reducing risk of "Spon Com" (spontaneous combustion) and improved internal pile temperature cooling
- Rail dust control applications
- AMS 1000 C is a Polynaphtha solution for coal that provides moisture and cooling stability for dust control and coal quality
- Protection from spontaneous combustion occurrences and long-term coal cooling benefits
- The solution reduces the risk of "Heat by Wetting" (Water that comes in contact with coal acts as a catalyst that accelerates the oxidation process which causes the spontaneous combustion).
- The solution is applied at the LAST transfer point before material discharge

Votech Dust Suppression Solutions work well, are competitively priced and save water use and labour time onsite.

Contact Us to discuss what Votech solutions would work for you and to request a product demonstration.



Shaw Almex
Europe B.V.

☎ 31 646648648
Drachten, The Netherlands

Shaw Almex
Industries

☎ 1 905 643 7750
Stoney Creek, Ontario

Shaw Almex
Industries

☎ 1 705 746 5884
Parry Sound, Ontario

Shaw Almex
Fusion, LLC.

☎ 1 404 292 8600
Decatur, Georgia, USA

Shaw Almex
Africa (Pty) Ltd.

☎ 27 11 794 8262
South Africa



Shaw
Almex
Industries Ltd.

1.800.977.5423
www.almex.com

sales@almex.com