

# RC

## FUSION SURFACE PREP

**RC Fusion Surface Prep** is an all-purpose cleaner that can be used on rubber, metal, fiberglass and plastic. It is not recommended for use on urethane or PVC applications. RC Fusion Surface Prep Solvent is used for general surface preparation of BOTH conveyor belt cold (chemical) & vulcanized splices when TCE solvent or HST solvent is not allowed.

### FEATURES:

- Specifically formulated for the rubber fabrication and conveyor splicing industry
- RC Fusion Surface Prep Solvent is based on petroleum-based solvents
- Very pure solvent
- Will not leave behind an oil residue, which can inhibit or prevent sufficient adhesion
- Less toxic than many similar products on the market
- Use for Natural Rubber (NR), Polyisoprene (IR), Styrene-Butadiene (SBR), Polybutadiene (BR), Polychloroprene i.e. Neoprene (CR) rubber belt splices
- Flammable

#### Product Information Properties:

Rubber Colour: Clear

Solids (wt.): 0 %

Formula: Xylene (60 %),

Cyclohexane (40 %)

Calculated Coverage: 16.6 M<sup>2</sup> (288 ft<sup>2</sup>)

Flash Point: -18 °C (0 °F)

Storage: Store in a cool, dry, well-ventilated area away from heat, direct sunlight, hot metal surfaces and all sources of ignition.

PRODUCT CODE	WEIGHT (METRIC/IMPERIAL)
CH-RC-Q	900 gr / 2.0 Lbs.
CH-RC-G	3.6 kg / 8.0 Lbs.
CH-RC-5G	18 kg / 40 Lbs.



SA

Almex Fusion de Mexico  
☎ 01 (477) 962 97 43

Almex Peru S.A.C.  
☎ 51 999 894040

Shaw Almex Chile SpA  
☎ +56 2 2 745 3969

Almex Indústria do Brasil Limitada  
☎ +51 31 3120 3737

 **ALMEX**  
GROUP  
www.almex.com 1.800.977.5423