

RC

FUSION SURFACE PREP

RC Fusion Surface Prep is an all-purpose cleaner that can be used on rubber, metal, fiberglass and plastic. It is not recommended for use on urethane or PVC applications. RC Fusion Surface Prep Solvent is used for general surface preparation of BOTH conveyor belt cold (chemical) & vulcanized splices when TCE solvent or HST solvent is not allowed.

FEATURES:

- Specifically formulated for the rubber fabrication and conveyor splicing industry
- RC Fusion Surface Prep Solvent is based on petroleum-based solvents
- Very pure solvent
- Will not leave behind an oil residue, which can inhibit or prevent sufficient adhesion
- Less toxic than many similar products on the market
- Use for Natural Rubber (NR), Polyisoprene (IR), Styrene-Butadiene (SBR), Polybutadiene (BR), Polychloroprene i.e. Neoprene (CR) rubber belt splices
- Flammable

Product Information Properties:

Rubber Colour: Clear

Solids (wt.): 0 %

Formula: Xylene (60 %),

Cyclohexane (40 %)

Calculated Coverage: 16.6 M² (288 ft²)

Flash Point: -18 °C (0 °F)

Storage: Store in a cool, dry, well-ventilated area away from heat, direct sunlight, hot metal surfaces and all sources of ignition.

PRODUCT CODE	WEIGHT (METRIC/IMPERIAL)
CH-RC-Q	900 gr / 2.0 Lbs.
CH-RC-G	3.6 kg / 8.0 Lbs.
CH-RC-5G	18 kg / 40 Lbs.



GL

Shaw Almex
Mining Equip. (Tianjin) Co. Ltd.
☎ +86 (22) 2388-9075

PT. Shaw Almex
Indonesia
☎ +61 488 780243

Shaw Almex
Pacific Pty Ltd. Qld
☎ 61 7 4774 2011

Shaw Almex
Pacific Pty Ltd. WA
☎ 61 8 9358 5860

Shaw Almex
India PVT. Ltd.
☎ 91-129-2274624

 **ALMEX**
GROUP
www.almex.com 1.800.977.5423